





OBLONGS

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-2496	5 DR.	2-5/8	1-3/4	3-15/16	1-1/4	41/64	#1 CORK 18-400
A-525	2 oz.	3-11/16	4-1/2	4-27/32	1-27/32	1-1/16	28-400
A-2754	6 "	4-1/2	6-1/4	6-1/4	2-1/4	1-19/32	#4 CORK 24-400
A-1850	6-3/8 oz.	BASE OF NECK	6	6	2-11/32	1-1/2	#5 CORK
A-3567	16	6-15/16	14	8-3/4	3-1/32	2-1/64	#6 CORK
A-2336	32	7-5/8	26-1/2	9-15/32	3-15/16	2-3/4	#9 CORK 33-400






A-3764



A-1957
A-2608



A-1301




A-1106

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-3764	2	BASE OF NECK	3	4-15/32	1-5/8	1-11/32	#3 CORK
A-1301	3	BASE OF NECK	4	3-11/16	2-13/32	1-27/64	24-400
A-1106	8	4-7/8	9-1/8	6-11/16	2-1/2	1-51/64	#5 CORK
A-1957	10-1/2	5-3/4	11-1/2	7-5/64	2-45/64	1-51/64	33-400
A-2608	32	7-1/2	24	9-13/32	3-15/16	2-11/16	33-150

OBLONGS






STANDARD
WIDE MOUTH
BLAKES



GE PP 10

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-85	1/4	1-11/32	11/16	2-3/64	61/64	45/64	#2 CORK 18-400
A-86	5/16	1-5/16	11/16	2-9/64	31/32	23/32	#2 CORK 18-400
A-87	1/3	1-7/16	13/16	2-7/32	1-1/64	3/4	#2 CORK 18-400
A-88	1/2	1-11/16	1-1/16	2-19/64	1-5/32	51/64	#2 CORK 18-400
A-89	5/8	1-13/16	1-5/16	2-21/32	1-1/4	55/64	#4 CORK 20-400
A-90	3/4	1-7/8	1-1/2	2-53/64	1-21/64	29/32	#4 CORK 22-400

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-91	1	2-1/8	1-7/8	3-1/32	1-29/64	31/32	#4 CORK 22-400
A-92	1-1/4	2-5/16	2-1/8	3-5/16	1-35/64	63/64	#4 CORK 22-400
A-93	1-1/2	2-9/16	2-7/16	3-19/32	1-5/8	1-1/64	#5 CORK 24-400
A-94	2	2-3/4	3-3/16	3-27/32	1-23/32	1-5/32	#6 CORK 28-400
A-95	2-1/2	3	3-9/16	4-3/32	1-55/64	1-3/16	#7 CORK 28-400
A-96	3	3-1/8	3-3/4	4-1/4	1-61/64	1-1/4	#7 CORK 28-400
A-97	3-1/2	3-1/2	4	4-13/32	2-3/64	1-21/64	#7 CORK 30-400
A-98	4	3-1/2	4-11/16	4-21/32	2-3/32	1-7/16	#7 CORK 30-400
A-99	5	3-7/8	5-5/8	4-61/64	2-19/64	1-15/32	#9 CORK 30-400
A-100	6	4-1/16	6-3/16	5-5/16	2-3/8	1-35/64	#10 CORK 33-400
A-101	7	4-1/4	6-15/16	5-17/32	2-15/32	1-21/32	#10 CORK 33-400
A-102	8	4-7/16	8-3/16	5-49/64	2-9/16	1-3/4	#10 CORK 33-400
A-103	10	5	9-1/2	6-13/64	2-25/32	1-13/64	#10 CORK 33-400
A-104	12	5-7/32	11-1/2	6-5/8	2-15/16	1-15/16	#14 CORK 38-400
A-105	13	5-1/2	11-3/4	6-49/64	2-31/32	2-1/64	#14 CORK 38-400
A-106	14	5-9/16	12-1/2	6-29/32	3	2-59/64	#14 CORK 38-400
A-107	15	5-3/4	13-1/8	7-5/32	3-1/32	2-1/8	#14 CORK 38-400



A-100

A-84

A-108	16	6	13-3/4	7-3/8	3-1/16	2-1/8	#14 CORK 38-400
A-109	18	6-5/16	15-1/4	7-3/4	3-17/64	2-11/64	#14 CORK 38-400
A-110	20	6-9/16	16-3/4	8-1/32	3-5/16	2-1/4	#16 CORK 43-400
A-111	24	6-15/16	19-1/4	8-7/16	3-15/32	2-13/32	#16 CORK 43-400
A-112	28	7-1/8	21-1/8	8-47/64	3-41/64	2-9/16	#18 CORK 43-400
A-113	32	7-3/8	24	8-29/32	3-29/32	2-11/16	#18 CORK 43-400

STANDARD
WIDE MOUTH
BLAKES







MISCELLANEOUS
WIDE MOUTH
BLAKES



MOLD No.	CAPACITY	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-999	1/2 oz.	BASE OF NECK	1	2-13/16	1-1/16	59/64	#3 CORK
A-3399	5/8 oz.	1-31/32	1-1/2	2-13/16	1-3/16	25/32	#3 CORK 20-400
A-1348	6 DR.	2-1/32	1-1/8	3	1-1/8	57/64	#4 CORK 20-400
A-3103	1-5/32 oz.	BASE OF NECK	2-7/32	3-1/16	1-17/32	1-1/32	#6 CORK
A-1484	1-1/4 "	"	2-3/8	3-3/8	1-27/64	1-3/32	#6 CORK
A-2850	1-1/2 "	2-13/32	2	3-17/64	1-7/16	1-7/64	#5 CORK
A-1352	2 "	BASE OF NECK	2-3/4	3-25/32	1-5/8	1-3/16	#6 CORK
A-2941	2 "	2-11/16	3	4-7/32	1-45/64	1-3/16	30-400
A-3104	2-1/2 "	BASE OF NECK	3-1/4	4-3/16	1-19/32	1-17/64	#9 CORK
A-2852	2-5/8 "	"	3-1/8	4-5/16	2-3/4	1-3/16	#6 CORK
A-4084	3-1/2 "	3-3/8	4	4-5/16	2-3/64	1-5/16	#10 CORK
A-2676	16 "	6-5/16	15-1/4	7-29/32	3-1/8	2-9/64	33-400 22-400



A-130
A-129
A-128




A-131
A-2927



A-960



A-3064




A-4659

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-960	1/6	BASE OF NECK	3/4	2-1/32	15/16	3/4	#2 CORK
A-3064	1/2	1-1/16	1	2-21/32	1-1/8	13/16	#2 SH. CORK 18-400
A-128	3	3-5/8	3-5/8	5-5/32	1-29/32	1-1/4	#3 CORK 20-400
A-129	4	4-1/16	5-3/8	5-11/16	2	1-13/32	#3 CORK 20-400
A-131	4	3-1/2	5-1/4	4-29/32	2-1/8	1-31/64	#3 CORK 24-400
A-4659	4	3-15/16	5-1/4	5-19/64	2-1/4	1-23/64	24-400
A-130	8	5	7-1/2	6-1/2	2-7/16	1-47/64	#5 CORK 28-400
A-2927	8	4-11/16	7-3/4	6-1/16	2-19/32	1-11/16	#6 CORK 24-400

BLAKES
TALL & SHORT





**HANDY GRIP
OBLONGS**


MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-5152	4	4-7/32	5-3/8	5-17/32	2-5/32	1-13/32	20-400
A-5158	6	4-11/16	7-1/4	6-1/8	2-27/64	1-35/64	22-400
A-5443	8	5-1/8	9-1/4	6-11/16	2-3/4	1-11/16	22-400
A-5460	12	5-13/16	12-1/2	7-7/16	3	2-1/64	28-400
A-4568	16	6-5/16	14-1/2	8-1/8	3-1/4	2-3/32	28-400




AGE PP 14




A-871



A-4457



A-5620
A-5619
A-5621



A-1662

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-871	2-1/4	2-7/32	4-3/16	2-17/64	2-7/32	1-3/8	33-150 35-400
A-5619	3	3-7/16	4-1/2	4-11/32	2-15/64	1-31/64	30-400
A-5620	4	3-11/16	4-7/8	4-23/32	2-7/16	1-5/8	30-400
A-4457	6	4-1/8	7-1/4	4-11/16	2-27/32	1-37/64	38-400 SPEC. "H"
A-1662	7	5-5/64	7	5-53/64	2-13/64	1-45/64	38-400 38-150
A-5621	8	4-29/32	8-1/8	5-3/4	3-1/32	1-29/32	33-400

WIDE MOUTH
OBLONGS






DUO-OVALS

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-5139	1/2	2-3/8	1-3/8	3-1/64	1-9/32	23/32	15-425
A-5596	3/4	2-25/32	2	3-5/8	1-7/16	25/32	18-400
A-5012	1	2-31/32	2-1/4	3-27/32	1-35/64	13/16	18-400
A-5013	2	3-3/4	3-1/4	4-21/32	1-29/32	15/16	20-400
A-5043	3	4-1/8	4-5/16	5-1/8	2-11/64	1-1/16	22-400
A-4983	4	4-9/16	6	5-43/64	2-13/32	1-7/32	24-400
A-5401	5	4-7/8	6-1/2	6-1/32	2-17/32	1-17/64	24-400
A-5616	6	5-3/16	7	6-11/32	2-11/16	1-11/32	24-400
A-5014	8	5-13/16	8	6-15/16	2-29/32	1-7/16	28-400
A-5015	16	7-7/32	14-1/4	8-31/64	3-5/8	1-53/64	30-400





MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
P-57	1/2	2	1	2-21/32	1-5/32	3/4	15-425
P-58	1	2-7/16	1-15/16	3-11/64	1-15/32	61/64	18-400
P-59	2	3	3-9/64	3-57/64	1-49/64	1-1/8	20-400
P-60	3	3-1/2	4	4-21/64	1-61/64	1-19/64	22-400
A-5519	3-3/4	3-5/8	5-9/16	4-27/32	2-9/64	1-27/64	24-400
P-61	4	4	5-1/16	4-27/32	2-9/64	1-13/32	24-400
P-62	6	4-9/16	6-1/2	5-7/16	2-33/64	1-15/32	24-400
P-63	8	5-3/16	8-1/8	6-1/8	2-43/64	1-9/16	28-400
P-64	12	6-1/32	11-1/4	7	3-1/32	1-49/64	28-400
P-65	16	6-11/16	13-1/4	7-25/32	3-23/64	1-55/64	30-400
P-66	32	7-3/8	23-5/8	8-27/32	4-21/64	2-1/2	33-400

ROYAL OVALS





SIGNET OVALS



PAGE PP 18

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-275	1/2	2-1/4	1	3-3/32	1-3/16	11/16	#1 CORK 18-400
A-277	2	3-1/4	2-5/8	4-9/16	1-3/4	1-1/32	#3 CORK 22-400
A-278	3	3-3/4	3-1/2	5-1/4	1-15/16	1-3/16	#3 CORK 22-400
A-279	4	4-1/8	4-3/4	5-13/16	2-1/8	1-1/4	#4 CORK 24-400
A-280	6	4-3/4	6-1/4	6-15/32	2-3/8	1-3/8	#5 CORK 24-400
A-282	8	5-1/2	8	7-1/8	2-7/8	1-7/16	#6 CORK 28-400
A-284	12	6-1/16	11-1/8	7-15/16	2-7/8	1-11/16	#6 CORK 28-400
A-286	16	6-15/16	13-7/8	8-61/64	3-7/32	1-7/8	#7 CORK 30-400
A-288	32	7-7/8	22-1/2	10-3/4	3-7/8	2-5/8	#8 CORK 33-400




MOLD NO.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN INCHES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-156	1/2	BASE OF NECK	1	2-13/16	1-13/64	3/4	#2 CORK 18-400
A-157	1	"	1.9	3-5/8	1-25/64	5/8	#2 CORK 20-400
A-158	2	"	3	4-1/2	1-11/16	1-3/64	#3 CORK 22-400
A-159	3	"	3-7/8	5	1-29/32	1-15/64	#3 CORK 22-400
A-160	4	"	5	5-9/16	2-3/64	1-25/64	#4 CORK 22-400
A-161	6	"	6-1/2	6-3/16	2-5/16	1-35/64	#5 CORK 24-400
A-162	8	"	8	6-5/8	2-1/2	1-23/32	#5 CORK 28-400
A-163	12	"	11	7-7/16	2-55/64	1-15/16	#6 CORK 28-400
A-164	16	"	13	8-5/32	3-1/64	2-5/32	#6 CORK 28-400
A-165	32	"	24	9-13/16	3-27/32	2-45/64	#8 CORK 33-400

WASHINGTON
OVALS



PAGE PP 19




HUB OVALS




AGE PP 20


MOLD NO.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN INCHES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-166	1/2	3-15/16	1-3/16	2-13/16	1-3/16	25/32	#1 CORK
A-167	1	2-5/8	1-7/8	3-9/16	1-13/32	31/32	18-400
A-168	2	3-1/4	3	4-13/16	1-23/32	1-1/8	#2 CORK 20-400
A-169	3	3-3/4	4	5-1/8	1-7/8	1-1/4	#2 CORK 22-400
A-1910	3	BASE OF NECK	4-1/2	5-13/16	2-1/16	1-1/16	#3 CORK 22-400
A-990	3-1/4	3-7/8	3-5/8	5-3/32	1-53/64	1-5/32	#4 CORK "O"-1100
A-170	4	4-1/2	5	5-27/32	2-3/32	1-11/32	#4 CORK 24-400
A-2430	4	4-3/16	5-1/4	5-3/8	2-3/16	1-7/16	#4 CORK
A-171	6	4-3/16	6-1/2	6-3/32	2-5/16	1-17/32	24-400 #5 CORK
A-3107	8	5-1/16	8-3/8	6-27/32	2-33/64	1-11/16	24-400
A-5056	8	5-3/8	8-1/4	6-15/32	2-37/64	1-23/32	27-120
A-173	16	6-5/16	13-3/4	8-7/32	3-1/32	2-3/16	28-400 #6 CORK




A-1858
A-2347
A-2423



A-1894



A-2459




A-3811


MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN INCHES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-3811	4	4-7/16	5-1/2	6-1/32	2-1/64	1-11/32	24-400
A-1894	6	4-3/8	6-1/4	6-13/64	2-1/4	1-39/64	#5 CORK
A-2347	12	5-1/2	11-1/2	7-9/16	2-13/16	1-15/16	#6 CORK 28-400
A-1858	16	BASE OF NECK	12	8-3/16	3-3/64	2-3/64	#5 CORK
A-2423	16	6-3/8	13-1/8	7-15/16	3-3/16	2-3/32	#7 CORK
A-2459	16	6-9/16	13-1/4	8-11/16	3-9/16	1-29/32	#7 CORK 24-400

OVALS






A-1153



A-1020
A-2357
A-3214
A-3448



A-2383
A-2384
A-1737




A-155 ✓


OVALS




MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN INCHES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-1020	3	2-13/16	3-1/2	4-11/32	2-1/16	1-33/64	22-400
A-1737	3	4-1/4	4	5-23/64	1-21/32	1-5/32	#4 CORK 24-400 24-150
A-3214	3	3-1/4	3-1/2	4-5/8	2-5/32	1-1/4	#4 CORK
A-1154	4-1/2	4-1/4	5	5-31/64	2-7/16	1-25/64	#5 CORK 24-400
A-1153	8-1/2	5-1/2	8-3/4	6-29/32	2-15/16	1-5/8	#5 CORK 24-400
A-2383	10	5-7/8	11	7-9/16	3-3/32	1-5/8	#5 CORK 24-400
A-155 ✓	16	5-15/16	13	7-31/32	3-7/16	2-17/64	33-150 33-400
A-3448	16	5-13/16	13-1/4	7-3/4	3-3/8	2-27/64	30-400
A-2357	16	5-5/8	12-3/4	7-5/8	3-15/64	2-17/32	#6 CORK 28-400
A-2384	20	6-15/16	17-5/8	8-7/8	3-11/16	2-1/4	#6 CORK 28-400



A-4300
A-859
A-5092
A-3956
A-1751
A-531



A-1151
A-2778
A-1929
A-1186
A-4351
A-3802



A-3955


MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-2778	1	2-1/2	1-5/8	3-11/32	1-7/16	1-1/16	#2 CORK
A-3955	4	4-3/8	4-3/4	5-5/8	2-1/4	1-17/64	28-400
A-3802	4	4-1/16	5-1/4	5-31/64	2-13/32	1-5/16	CORK
A-1186	4-1/4	BASE OF NECK	4-7/16	4-15/16	2-13/32	1-31/64	27-150
A-4351	5	4-1/2	6-1/2	6-1/16	2-19/32	1-13/32	#4 CORK
A-1929	6	4-3/8	6-3/4	6-3/4	2-5/8	1-17/32	#6 CORK
A-3956	8	5-13/16	8	7-11/32	2-11/16	1-15/32	28-400
A-1751	8	6-3/8	9	7-7/8	2-7/8	1-1/2	28-400
A-531	14	7-5/8	13-1/4	9-1/32	3-9/32	1-23/32	30-150
A-4300	16	7-3/8	14-1/2	9-1/8	3-3/8	1-15/16	30-400
A-859	16	7-7/32	15	9-3/16	3-19/64	1-7/8	#7 CORK 28-400
A-1151	16	5-3/4	13-1/4	7-45/64	3-29/64	2-7/32	#7 CORK 28-400
A-5092	32	9-5/64	23-1/2	11-1/8	4-3/16	2-1/2	33-400

OVALS





A-844
A-3218



A-982
A-4721



A-993
A-3664




A-1511
A-1510
A-1866

OVALS




MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-3218	5/16	1-25/32	3/4	2-5/16	59/64	45/64	SP. SC. CAP
A-844	1/2	1-3/4	1-1/4	2-7/8	1-13/64	49/64	#3 CORK
A-3664	5/8	BASE OF NECK	1-1/4	2-19/32	1-5/16	31/32	#4 CORK 24-400
A-993	4	3-9/16	4	5-7/32	2-1/8	1-9/16	28-400
A-1866	8	4-15/16	7-1/2	6-43/64	2-5/8	1-21/32	#6 CORK 24-400
A-1510	12	6-21/64	11	8-1/16	2-15/16	1-3/4	#6 CORK
A-982	16	5-7/8	12-1/4	8-1/8	3-1/4	2-13/32	#1-1100 28-400
A-1511	16	6-7/8	12-3/4	8-5/8	3-7/16	1-29/32	#7 CORK 28-400
A-4721	16	6-3/4	14-1/2	8-7/16	3-33/64	2	30-120



A-1035
A-4954
A-4955



A-1872
A-4550



A-1852
A-1344
A-3365



A-4551

MOLD No.	CAPACITY IN OUNCES	IDEAL FILLING POINT	WEIGHT IN OUNCES	HEIGHT IN INCHES	WIDTH IN INCHES	THICKNESS IN INCHES	FINISH
A-1872	3	3-7/16	3-1/2	4-13/16	2-1/64	1-39/64	30-400 30-150
A-1344	6	BASE OF NECK	6-1/4	5-5/8	2-5/8	1-13/16	30-400 30-150
A-4550	6	4-3/32	6-3/8	5-23/32	2-5/8	1-3/4	28-1600
A-1035	6	3-15/16	7	5-7/16	2-21/32	1-7/8	33-150 33-400 #8 CORK
A-4954	6	6-3/4	6-1/2	4-3/8	5-19/32	1-23/32	33-400
A-1852 ✓	8	BASE OF NECK	8	6-9/16	2-29/32	1-7/8	30-400 30-150
A-3365	8	4-5/8	7-1/2	6-5/16	2-7/8	1-27/32	30-400 30-150
A-4955	16	13	16-7/8	6-5/16	7-13/16	3-13/32	33-400
A-4551	16	5-5/8	14	7-11/16	3-25/64	2-3/8	38-400

OVALS

