



C-710



C-367



C-743



C-779




C-819

Mold No.	Fluid Oz. Capacity		Weight in Ozs.	Height in Inches	Diameter in Inches	Finish	Dozen Per Carton	Lbs. Per Carton
	Bottom	Fin.—Overflow						
C-819	1 $\frac{3}{4}$	2	3 $\frac{1}{2}$	4 $\frac{3}{16}$	1 $\frac{43}{64}$	28-400	2	7
C-743	2 $\frac{9}{16}$	2 $\frac{3}{4}$	3 $\frac{3}{4}$	4 $\frac{23}{64}$	1 $\frac{17}{32}$	36-700	2	8
C-779	2 $\frac{7}{8}$	3 $\frac{1}{16}$	4 $\frac{1}{2}$	4 $\frac{19}{64}$	1 $\frac{43}{64}$	38-1550	2	8
C-367	15 $\frac{1}{8}$	16 $\frac{1}{2}$	15	9 $\frac{15}{32}$	2 $\frac{25}{64}$	56-1800 with Sp. Sc. Cap	1	13
C-710	26 $\frac{3}{4}$	27 $\frac{1}{4}$	17 $\frac{3}{8}$	8 $\frac{3}{4}$	3 $\frac{21}{32}$	48-400	1	20

## SHAKERS OLIVE JARS




C-784



C-812  
C-1276



C-783



C-861

**CLAM JUICE  
MEAT JAR  
VASE SHAPE**

Mold No.	Fluid Ounce Cap.	Weight in Ozs.	Filling Point fr. Base	Height in Inches	Width in Inches	Thick. in Inches	Finish	Dozen Per Carton	Lbs. Per Carton
C-783	3½	5½	¼" above base neck	4 <sup>15</sup> / <sub>16</sub>	2 <sup>5</sup> / <sub>64</sub>	Diam.	1-600	2	8
C-784	8	8½	¼" above base neck	6½	2 <sup>41</sup> / <sub>64</sub>	Diam.	1-600	2	15
			Bottom Fin.—Overflow						
			Oz. Wt.						
C-1276	7¼	8¾	8½	4 <sup>41</sup> / <sub>64</sub>	2¾	2 <sup>19</sup> / <sub>64</sub>	63-400	2	15
C-812	16	17½	14	6 <sup>19</sup> / <sub>64</sub>	3 <sup>17</sup> / <sub>32</sub>	2 <sup>25</sup> / <sub>32</sub>	70-400	1	12
C-861	31½	33½	18½	7 <sup>3</sup> / <sub>16</sub>	4 <sup>7</sup> / <sub>32</sub>	Diam.	G-450	1	17



E-388  
E-317



E-447



E-186



E-8  
E-204  
E-384  
E-511

Mold No.	Fluid Ounce Cap.	Weight in Ozs.	Filling Point fr. Base	Height in Inches	Width in Inches	Thick. in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
E-388	6	8½	3¾	5⅓ <sub>32</sub>	3⅓ <sub>32</sub>	1⅓ <sub>32</sub>	# 7 Cork Pour Out	3	17
E-204	8	8	3 <sup>21</sup> / <sub>32</sub>	5 <sup>5</sup> / <sub>16</sub>	2 <sup>57</sup> / <sub>64</sub>	Diam.	# 7 Cork 28-400	2	15
E-447	8	9	3 <sup>5</sup> / <sub>8</sub>	5 <sup>17</sup> / <sub>32</sub>	3 <sup>15</sup> / <sub>32</sub>	Diam.	# 7 Cork Pour Out	2	15
E-8	10	10½	4⅛	5 <sup>29</sup> / <sub>32</sub>	3 <sup>3</sup> / <sub>32</sub>	Diam.	# 6 Cork Pour Out	2	18
E-317	12	12	4 <sup>3</sup> / <sub>8</sub>	6 <sup>5</sup> / <sub>32</sub>	3 <sup>47</sup> / <sub>64</sub>	2 <sup>11</sup> / <sub>32</sub>	27-150	2	20
E-511	12	11	Base Neck	5 <sup>31</sup> / <sub>32</sub>	3½	Diam.	28-400 # 7 Cork Pour Out	2	20¼
E-186	16	14	5⅛	7 <sup>5</sup> / <sub>32</sub>	3 <sup>7</sup> / <sub>32</sub>	Diam.	# 7 Cork 28-400	2	26

## CRUETS 'JUGS



E-355  
E-605



E-290  
E-336



E-414  
E-613



E-289

## CRUETS JUGS

Mold No.	Fluid Ounce Cap.	Weight in Ozs.	Filling Point fr. Base	Height in Inches	Diameter in Inches	Finish	Dozen Per Carton	Lbs. Per Carton
E-289	10	11 $\frac{3}{4}$	4 $\frac{11}{32}$	5 $\frac{23}{32}$	3	#6 Pour-out Cork	2	18
E-605	10	11	4 $\frac{13}{16}$	6 $\frac{23}{32}$	2 $\frac{11}{16}$	28-400	3	29
E-613	16	13 $\frac{3}{4}$	3 $\frac{29}{32}$	6 $\frac{3}{16}$	3 $\frac{7}{8}$	28-400	2	26
E-414	16	13 $\frac{1}{8}$	3 $\frac{7}{8}$	6 $\frac{9}{32}$	3 $\frac{3}{4}$	28-400	2	26
E-355	16	13 $\frac{3}{4}$	5 $\frac{3}{4}$	8	3	28-400 #7 Cork	2	26
E-290	23	17	4 $\frac{25}{32}$	6 $\frac{3}{4}$	4 $\frac{1}{64}$	#1-1100	1	18
E-336	28 $\frac{7}{16}$	19	5 $\frac{9}{32}$	7 $\frac{1}{2}$	4 $\frac{15}{64}$	36-700	1	21



E-366  
E-367



E-428  
E-471



E-257  
E-258



E-487

Mold No.	Fluid Ounce Cap.	Weight in Ozs.	Filling Point fr. Base	Height in Inches	Width in Inches	Thick. in Inches	Finish	Gross Per Crate	Lbs. Per Crate
E-366	10	10 <sup>3</sup> / <sub>4</sub>	4 <sup>5</sup> / <sub>16</sub>	6 <sup>15</sup> / <sub>32</sub>	3 <sup>9</sup> / <sub>16</sub>	2 <sup>1</sup> / <sub>8</sub>	* 7 Pour out Cork 28-400	1	123
E-487	12	14	5 <sup>5</sup> / <sub>8</sub>	7 <sup>27</sup> / <sub>32</sub>	2 <sup>31</sup> / <sub>32</sub>	2 <sup>11</sup> / <sub>64</sub>	* 7 Pour out Cork 28-400	1	160
E-428	16	13 <sup>3</sup> / <sub>4</sub>	3 <sup>7</sup> / <sub>8</sub>	5 <sup>15</sup> / <sub>16</sub>	3 <sup>7</sup> / <sub>8</sub> Diam.		* 8 Pour out Cork 38-1600	1	150
E-471	16	13 <sup>3</sup> / <sub>4</sub>	3 <sup>29</sup> / <sub>32</sub>	5 <sup>31</sup> / <sub>32</sub>	3 <sup>25</sup> / <sub>32</sub>	"	* 7 Pour out Cork 28-400	1	154
E-257	16	14	4 <sup>1</sup> / <sub>4</sub>	6 <sup>1</sup> / <sub>4</sub>	3 <sup>17</sup> / <sub>32</sub>	"	38-400 38-1600	1	160
E-367	32	19 <sup>1</sup> / <sub>2</sub>	5 <sup>3</sup> / <sub>4</sub>	7 <sup>5</sup> / <sub>8</sub>	3 <sup>5</sup> / <sub>16</sub>	"	* 7 Pour out Cork 38-400	1/2	98
E-258	32	22	5 <sup>1</sup> / <sub>32</sub>	7 <sup>37</sup> / <sub>64</sub>	4 <sup>11</sup> / <sub>32</sub>	"	38-1600	1/2	109

## CRUETS JUGS



E-187  
E-223  
E-224



E-530  
E-510



E-413  
E-296

## CRUETS JUGS

Mold No.	Fluid Ounce Cap.	Weight in Ozs.	Filling Point fr. Base	Height in Inches	Diameter in Inches	Finish	Gross Per Crate	Lbs. Per Crate
E-510	10	10 $\frac{1}{2}$	4 $\frac{5}{8}$	6 $\frac{3}{4}$	2 $\frac{5}{8}$	28-1600	1	125
E-530	10	10	4 $\frac{25}{32}$	6 $\frac{17}{32}$	2 $\frac{41}{64}$	# 5 Shell Cork 28-1600	1	111
E-413	12	12 $\frac{3}{8}$	6 $\frac{1}{4}$	7 $\frac{5}{8}$	2 $\frac{21}{32}$	# 6 Pour Out Cork 28-400	1	136
E-223	16 $\frac{3}{16}$	14	5 $\frac{5}{32}$	7 $\frac{11}{32}$	3 $\frac{13}{64}$	28-1600	1	147
E-296	25 $\frac{3}{8}$	20	6 $\frac{41}{64}$	8 $\frac{29}{32}$	3 $\frac{3}{8}$	# 7 Pour-out Cork	$\frac{1}{2}$	101
E-536	32	23	7 $\frac{11}{16}$	9 $\frac{21}{32}$	3 $\frac{35}{64}$	28-1600	$\frac{1}{2}$	114
E-187	32 $\frac{1}{4}$	21 $\frac{3}{8}$	6 $\frac{45}{64}$	8 $\frac{21}{32}$	3 $\frac{55}{64}$	# 7 Shell Cork 28-400	$\frac{1}{2}$	107
E-224	32 $\frac{1}{4}$	21 $\frac{3}{8}$	6 $\frac{11}{16}$	8 $\frac{29}{32}$	3 $\frac{53}{64}$	28-1600	$\frac{1}{2}$	107



E-311




E-572



E-540

Mold No.	Fluid Ounce Cap.	Weight in Ozs.	Filling Point fr. Base	Height in Inches	Diameter in Inches	Finish	Gross Per Crate	Lbs. Per Crate
E-540	8	9 <sup>1</sup> / <sub>4</sub>	5 <sup>7</sup> / <sub>32</sub>	6 <sup>1</sup> / <sub>2</sub>	2 <sup>13</sup> / <sub>32</sub>	28-400	1 <sup>1</sup> / <sub>2</sub>	155
E-311	16	18 <sup>1</sup> / <sub>4</sub>	5 <sup>17</sup> / <sub>32</sub>	7 <sup>5</sup> / <sub>8</sub>	3 <sup>13</sup> / <sub>16</sub>	28-400	1	194
E-572	32	22	5 <sup>1</sup> / <sub>4</sub>	8 <sup>5</sup> / <sub>16</sub>	4 <sup>7</sup> / <sub>16</sub>	13 Cork	1 <sup>1</sup> / <sub>2</sub>	119

**CRUETS  
JUGS  
DECANTERS**



## JUG PACKERS


Mold No.	Fluid Ounce Cap.	Weight in Ozs.	Filling Point fr. Base	Height in Inches	Diameter in Inches	Finish	Gross Per Crate	Lbs. Per Crate
E-148	64	31	7 $\frac{3}{8}$	10	4 $\frac{29}{32}$	# 2-1100 38-1600	$\frac{1}{3}$	125
E-360	115	52	8 $\frac{1}{2}$	11 $\frac{11}{32}$	6 $\frac{5}{16}$	36-1800 38-400	$\frac{1}{6}$	105
E-344	124	55	9	11 $\frac{11}{32}$	6 $\frac{7}{32}$	# 2-1100 # 14 Cork 38-1600	$\frac{1}{6}$	107
E-102	126	54	9 $\frac{9}{64}$	11 $\frac{1}{4}$	6 $\frac{11}{32}$	36-1800 38-400	$\frac{1}{6}$	107
E-238	130	54	9 $\frac{1}{8}$	11 $\frac{14}{16}$	6 $\frac{3}{8}$	# 14 Cork 38-400	$\frac{1}{6}$	107





Mold No.	Fluid Ounce Cap.	Weight in Ozs.	Filling Point fr. Base	Height in Inches	Diameter in Inches	Finish	Gross Per Crate	Lbs. Per Crate
<del>H-2025</del>	<del>64</del>	<del>33</del>	<del>7<sup>15</sup>/<sub>16</sub></del>	<del>10<sup>7</sup>/<sub>16</sub></del>	<del>4<sup>3</sup>/<sub>4</sub></del>	<del>38-400 #11 Cork</del>	<del>1/4</del>	<del>103</del>
E-260	128	55	9 <sup>1</sup> / <sub>8</sub>	11 <sup>1</sup> / <sub>2</sub>	6 <sup>11</sup> / <sub>32</sub>	38-400	1/6	107
E-256	130	58	9 <sup>1</sup> / <sub>8</sub>	11 <sup>25</sup> / <sub>32</sub>	6 <sup>1</sup> / <sub>4</sub>	48-400 48-1600	1/6	117


## JUG PACKERS



## **OCTAGON CATSUP**

ONE of the most abused words in the English language is "service." Many crimes have been committed in the name of service, yet, when properly used, it is one of the most soul satisfying words in business parlance. Service is delivering an article of merit at the moment of its need.

The uncertainty of crop and weather conditions make food production difficult and planning precarious. Bottle requirements specified in advance may prove to be wholly inadequate, the packer finding himself confronted with



## **16 PANEL CATSUP**

emergencies and other production problems with which they may be presented.


Within the last two decades the food industry has made marvelous progress. It is possible now to purchase an unlimited variety of wholesome foods at prices which make the old fashioned methods of canning and preserving unprofitable.

Owens-Illinois have helped by producing millions of gross of containers of unvarying proportion. Containers whose uniformity has made possible the development

Mold No.	Fluid Ounce Cap.	Weight in Ozs.	Filling Point fr. Base	Height in Inches	Diameter in Inches	Dozens Per Carton	Lbs. Per Carton
E-302	5½	7	Parting line	7 <sup>17</sup> / <sub>32</sub>	1 <sup>7</sup> / <sub>8</sub>	2	12
E-319	6¼	7¾	"	8 <sup>3</sup> / <sub>32</sub>	1 <sup>15</sup> / <sub>16</sub>	2	14
E-214	7	8½	"	8 <sup>3</sup> / <sub>32</sub>	2	2	15
E-338	7	8½	"	8 <sup>3</sup> / <sub>32</sub>	2 <sup>1</sup> / <sub>8</sub>	2	15
E-638	7	8½	"	7 <sup>5</sup> / <sub>16</sub>	2 <sup>7</sup> / <sub>32</sub>	2	15
E-114	7 <sup>1</sup> / <sub>8</sub>	8½	"	7 <sup>21</sup> / <sub>32</sub>	2 <sup>3</sup> / <sub>16</sub>	2	15
E-127	7¾	8 <sup>3</sup> / <sub>8</sub>	Overflow	8	2 <sup>7</sup> / <sub>32</sub>	2	15
E-115	9	10¼	Ring at Finish	8¾	2 <sup>11</sup> / <sub>32</sub>	2	18
E-166	9	9¾	"	8 <sup>9</sup> / <sub>16</sub>	2 <sup>11</sup> / <sub>32</sub>	2	17½
E-98	9½	10¼	"	9 <sup>3</sup> / <sub>16</sub>	2 <sup>5</sup> / <sub>16</sub>	2	18
E-244	10 <sup>3</sup> / <sub>8</sub>	10¾	Parting line	9 <sup>5</sup> / <sub>64</sub>	2 <sup>17</sup> / <sub>64</sub>	2	19
E-245	12 <sup>1</sup> / <sub>8</sub>	12½	"	9 <sup>5</sup> / <sub>8</sub>	2 <sup>5</sup> / <sub>8</sub>	2	22
E-639	12 <sup>1</sup> / <sub>8</sub>	12½	"	9 <sup>7</sup> / <sub>32</sub>	2 <sup>19</sup> / <sub>32</sub>	2	22
E-653	12 <sup>3</sup> / <sub>8</sub>	12½	Overflow	9 <sup>37</sup> / <sub>64</sub>	2 <sup>17</sup> / <sub>32</sub>	2	22
E-34	12½	12½	Ring at Finish	9 <sup>3</sup> / <sub>16</sub>	2 <sup>17</sup> / <sub>32</sub>	2	22
E-167	12½	12¾	"	9 <sup>1</sup> / <sub>4</sub>	2 <sup>21</sup> / <sub>32</sub>	2	22½
E-93	12 <sup>19</sup> / <sub>32</sub>	13	Parting line	9 <sup>11</sup> / <sub>16</sub>	2 <sup>21</sup> / <sub>32</sub>	2	23
E-437	12 <sup>7</sup> / <sub>8</sub>	13	Ring at Finish	9 <sup>51</sup> / <sub>64</sub>	2 <sup>17</sup> / <sub>32</sub>	2	23
E-501	13	13	"	9 <sup>11</sup> / <sub>16</sub>	2 <sup>1</sup> / <sub>2</sub>	2	23
E-95	14	13	"	9 <sup>7</sup> / <sub>32</sub>	2 <sup>39</sup> / <sub>64</sub>	2	23
E-303	14	13¼	Parting line	9¾	2¾	2	23½
E-337	14	13½	"	10	2 <sup>35</sup> / <sub>64</sub>	2	24
E-120	15	14	Ring at finish	9 <sup>25</sup> / <sub>32</sub>	2 <sup>5</sup> / <sub>8</sub>	2	25

Catsup Bottles can be supplied in Glass Container Association Standard Finishes, numbers 200, 225, 250 and 275. See Section "S" devoted to GCA Standards.

Molds E-638, E-639 and E-653 have wide mouth, 31 mm GCA 200, 225, 250, 275 or 32 mm GCA 1700.



E-115

## OCTAGON CATSUP


quantities of perishables and the possibility of tremendous loss. What to do is the question.

It is then that the wise purchaser who has placed his requirements with Owens-Illinois reaps the benefit of his farsightedness.

Plants in all parts of the country, adequate mold equipment and tremendous storage facilities, make it possible for us to meet such situations with confidence and invariably to give "service." We take especial delight in helping our customers and prospects meet

Mold No.	Fluid Ounce Cap.	Weight in Ozs.	Filling Point fr. Base	Height in Inches	Diameter in Inches	Dozens Per Carton	Lbs. Per Carton
E-621	3 <sup>5</sup> / <sub>8</sub>	6	5 <sup>6</sup> / <sub>16</sub> Inches	6 <sup>3</sup> / <sub>16</sub>	1 <sup>53</sup> / <sub>64</sub>	4	21
E-228	5 <sup>1</sup> / <sub>2</sub>	7	Parting line	7 <sup>7</sup> / <sub>32</sub>	1 <sup>15</sup> / <sub>16</sub>	2	12
E-177	7	8 <sup>1</sup> / <sub>2</sub>	Ring at finish	7 <sup>7</sup> / <sub>8</sub>	2 <sup>7</sup> / <sub>64</sub>	2	15
E-642	7	8 <sup>3</sup> / <sub>8</sub>	"	8 <sup>1</sup> / <sub>64</sub>	2 <sup>11</sup> / <sub>64</sub>	2	15
E-215	7	8 <sup>1</sup> / <sub>2</sub>	Parting line	8 <sup>3</sup> / <sub>32</sub>	2 <sup>5</sup> / <sub>64</sub>	2	15
E-601	7 <sup>1</sup> / <sub>8</sub>	8 <sup>1</sup> / <sub>2</sub>	"	8 <sup>1</sup> / <sub>64</sub>	2 <sup>9</sup> / <sub>64</sub>	2	15
E-239	7 <sup>1</sup> / <sub>4</sub>	8 <sup>1</sup> / <sub>2</sub>	"	8 <sup>3</sup> / <sub>32</sub>	2 <sup>5</sup> / <sub>32</sub>	2	15
E-526	7 <sup>1</sup> / <sub>4</sub>	8 <sup>1</sup> / <sub>2</sub>	Ring at finish	8 <sup>1</sup> / <sub>8</sub>	2 <sup>1</sup> / <sub>8</sub>	2	15
E-152	7 <sup>1</sup> / <sub>2</sub>	8 <sup>1</sup> / <sub>2</sub>	"	8 <sup>1</sup> / <sub>16</sub>	2 <sup>7</sup> / <sub>32</sub>	2	15
E-627	8 <sup>3</sup> / <sub>4</sub>	9 <sup>1</sup> / <sub>2</sub>	Parting line	8 <sup>7</sup> / <sub>16</sub>	2 <sup>7</sup> / <sub>32</sub>	2	18
E-201	9	9 <sup>1</sup> / <sub>2</sub>	"	8 <sup>1</sup> / <sub>8</sub>	2 <sup>13</sup> / <sub>64</sub>	2	17
E-635	9 <sup>3</sup> / <sub>8</sub>	9 <sup>3</sup> / <sub>8</sub>	Bottom Bead	8 <sup>7</sup> / <sub>16</sub>	2 <sup>9</sup> / <sub>32</sub>	2	17
E-505	9 <sup>1</sup> / <sub>2</sub>	10 <sup>1</sup> / <sub>4</sub>	Ring at finish	8 <sup>13</sup> / <sub>16</sub>	2 <sup>17</sup> / <sub>64</sub>	2	18
E-142	9 <sup>1</sup> / <sub>2</sub>	10 <sup>1</sup> / <sub>4</sub>	"	8 <sup>7</sup> / <sub>8</sub>	2 <sup>9</sup> / <sub>32</sub>	2	18
E-665	10 <sup>5</sup> / <sub>8</sub>	11	8 <sup>9</sup> / <sub>16</sub> Inches	9 <sup>1</sup> / <sub>2</sub>	2 <sup>21</sup> / <sub>64</sub>	2	20
E-565	12	12 <sup>5</sup> / <sub>8</sub>	6 <sup>7</sup> / <sub>8</sub> "	9 <sup>15</sup> / <sub>32</sub>	2 <sup>9</sup> / <sub>16</sub>	2	22
E-628	12 <sup>3</sup> / <sub>16</sub>	13	Ring at finish	9 <sup>39</sup> / <sub>64</sub>	2 <sup>1</sup> / <sub>2</sub>	2	22
E-198	12 <sup>1</sup> / <sub>4</sub>	12 <sup>1</sup> / <sub>2</sub>	"	9 <sup>7</sup> / <sub>32</sub>	2 <sup>17</sup> / <sub>32</sub>	2	22
E-525	12 <sup>1</sup> / <sub>2</sub>	12 <sup>3</sup> / <sub>4</sub>	"	9 <sup>25</sup> / <sub>32</sub>	2 <sup>15</sup> / <sub>32</sub>	2	22
E-575	12 <sup>1</sup> / <sub>2</sub>	13	"	9 <sup>3</sup> / <sub>4</sub>	2 <sup>35</sup> / <sub>64</sub>	2	24
E-184	12 <sup>3</sup> / <sub>4</sub>	13	"	9 <sup>7</sup> / <sub>32</sub>	2 <sup>19</sup> / <sub>32</sub>	2	23
E-636	12 <sup>3</sup> / <sub>4</sub>	13 <sup>1</sup> / <sub>2</sub>	"	9 <sup>11</sup> / <sub>16</sub>	2 <sup>39</sup> / <sub>64</sub>	2	24
E-650	12 <sup>3</sup> / <sub>4</sub>	12 <sup>3</sup> / <sub>4</sub>	Parting line	9 <sup>25</sup> / <sub>32</sub>	2 <sup>15</sup> / <sub>32</sub>	2	28
E-126	13	13	Ring at finish	9 <sup>3</sup> / <sub>4</sub>	2 <sup>9</sup> / <sub>16</sub>	2	23
E-178	14	13 <sup>1</sup> / <sub>4</sub>	"	9 <sup>17</sup> / <sub>32</sub>	2 <sup>47</sup> / <sub>64</sub>	2	23
E-150	15	14	"	9 <sup>15</sup> / <sub>16</sub>	2 <sup>3</sup> / <sub>4</sub>	2	25

Catsup Bottles can be supplied in Glass Container Association Standard Finishes, numbers 200, 225, 250 and 275. See Section "S" devoted to GCA Standards.



## ROUND CATSUP

of supplemental labor-saving devices which have cut costs to a minimum . . . Containers whose sturdiness has made them practical with resulting reductions in transportation charges . . . Containers whose clarity and brilliance have attracted favorable attention and increased sales.

The Owens-Illinois Glass Company justifiably takes pride in the part which it has played in the growth and development of the great food industry and pledges continued interest and co-operation.



**CHILI SAUCE  
SALAD  
DRESSING**

Mold No.	Fluid Ounce Cap.	Weight in Ozs.	Filling Point fr. Base	Height in Inches	Diameter in Inches	Dozens Per Carton	Lbs. Per Carton
E-425	4 <sup>1</sup> / <sub>16</sub>	4 <sup>5</sup> / <sub>8</sub>	Overflow	3 <sup>7</sup> / <sub>8</sub>	2 <sup>1</sup> / <sub>4</sub>	2	10
E-482	4 <sup>1</sup> / <sub>16</sub>	4 <sup>5</sup> / <sub>8</sub>	Overflow	4 <sup>1</sup> / <sub>16</sub>	2 <sup>3</sup> / <sub>32</sub>	2	10
E-130	6 <sup>1</sup> / <sub>2</sub>	7 <sup>1</sup> / <sub>2</sub>	4 <sup>23</sup> / <sub>32</sub>	6 <sup>23</sup> / <sub>32</sub>	2 <sup>15</sup> / <sub>64</sub>	2	14
E-527	6 <sup>1</sup> / <sub>2</sub>	7 <sup>3</sup> / <sub>4</sub>	5 <sup>3</sup> / <sub>16</sub>	6 <sup>1</sup> / <sub>8</sub>	2 <sup>5</sup> / <sub>16</sub>	2	14
E-419	6 <sup>7</sup> / <sub>8</sub>	9 <sup>1</sup> / <sub>8</sub>	5	5 <sup>19</sup> / <sub>32</sub>	2 <sup>13</sup> / <sub>32</sub>	2	17
E-216	7	8	4 <sup>7</sup> / <sub>8</sub>	6 <sup>23</sup> / <sub>32</sub>	2 <sup>21</sup> / <sub>64</sub>	2	15
E-139	7 <sup>1</sup> / <sub>2</sub>	8 <sup>1</sup> / <sub>2</sub>	4 <sup>29</sup> / <sub>32</sub>	6 <sup>23</sup> / <sub>32</sub>	2 <sup>15</sup> / <sub>64</sub>	2	16
E-88	8	8 <sup>1</sup> / <sub>4</sub>	4 <sup>7</sup> / <sub>8</sub>	6 <sup>7</sup> / <sub>8</sub>	2 <sup>7</sup> / <sub>16</sub>	2	16
E-157	8 <sup>1</sup> / <sub>4</sub>	9 <sup>1</sup> / <sub>2</sub>	6	6 <sup>1</sup> / <sub>2</sub>	2 <sup>7</sup> / <sub>16</sub>	2	17
E-424	9 <sup>1</sup> / <sub>16</sub>	9 <sup>1</sup> / <sub>2</sub>	Overflow	6 <sup>7</sup> / <sub>16</sub>	2 <sup>7</sup> / <sub>16</sub>	2	17
E-212	10 <sup>1</sup> / <sub>4</sub>	11 <sup>1</sup> / <sub>4</sub>	6 <sup>9</sup> / <sub>32</sub>	7 <sup>23</sup> / <sub>64</sub>	2 <sup>19</sup> / <sub>32</sub>	1	9

(Continued on following page.)


These bottles can be furnished in Combination Goldy or Crown Finish, with Slip-Over or Screw Cap. See "S" section, devoted to GCA Standards.




Mold No.	Fluid Ounce Cap.	Weight in Ozs.	Filling Point fr. Base	Height in Inches	Diameter in Inches	Dozens Per Carton	Lbs. Per Carton
E-50	10 <sup>1</sup> / <sub>4</sub>	11 <sup>1</sup> / <sub>2</sub>	5 <sup>15</sup> / <sub>16</sub>	6 <sup>29</sup> / <sub>32</sub>	2 <sup>9</sup> / <sub>16</sub>	2	21
E-392	11	10 <sup>3</sup> / <sub>8</sub>	6 <sup>3</sup> / <sub>16</sub>	6 <sup>15</sup> / <sub>16</sub>	2 <sup>5</sup> / <sub>8</sub>	2	18
E-524	11	11	5 <sup>7</sup> / <sub>16</sub>	7 <sup>9</sup> / <sub>64</sub>	2 <sup>51</sup> / <sub>64</sub>	2	19
E-196	11	11 <sup>1</sup> / <sub>2</sub>	5 <sup>3</sup> / <sub>4</sub>	7 <sup>7</sup> / <sub>32</sub>	2 <sup>47</sup> / <sub>64</sub>	2	21
E-218	11	11 <sup>1</sup> / <sub>2</sub>	5 <sup>7</sup> / <sub>16</sub>	7 <sup>5</sup> / <sub>32</sub>	2 <sup>3</sup> / <sub>16</sub>	2	21
E-101	11	11 <sup>15</sup> / <sub>16</sub>	5 <sup>3</sup> / <sub>8</sub>	7 <sup>1</sup> / <sub>8</sub>	2 <sup>55</sup> / <sub>64</sub>	2	22
E-484	11 <sup>3</sup> / <sub>4</sub>	11	Overflow	7 <sup>9</sup> / <sub>64</sub>	2 <sup>25</sup> / <sub>32</sub>	2	19
E-423	11 <sup>3</sup> / <sub>4</sub>	12	Overflow	6 <sup>3</sup> / <sub>4</sub>	2 <sup>13</sup> / <sub>16</sub>	2	22
E-199	12	12 <sup>3</sup> / <sub>8</sub>	6 <sup>1</sup> / <sub>2</sub>	7 <sup>9</sup> / <sub>16</sub>	2 <sup>49</sup> / <sub>64</sub>	2	23
E-183	12 <sup>3</sup> / <sub>4</sub>	12 <sup>1</sup> / <sub>4</sub>	6 <sup>7</sup> / <sub>16</sub>	7 <sup>1</sup> / <sub>2</sub>	2 <sup>27</sup> / <sub>32</sub>	2	23
E-176	13	13	5 <sup>3</sup> / <sub>4</sub>	7 <sup>23</sup> / <sub>32</sub>	2 <sup>27</sup> / <sub>32</sub>	2	24
E-140	14 <sup>1</sup> / <sub>4</sub>	13 <sup>1</sup> / <sub>2</sub>	5 <sup>5</sup> / <sub>16</sub>	7 <sup>23</sup> / <sub>32</sub>	3	2	24

These bottles can be furnished in Combination Goldy or Crown Finish, with Slip-Over or Screw Cap. See Section "S" devoted to GCA Standards.

## CHILI SAUCE SALAD- DRESSING



E-276  
E-277



E-217



E-310  
E-211



E-318

**FLUTED  
CHILI SAUCE  
COCKTAIL  
SAUCE**

Mold No.	Fluid Ounce Cap.	Weight in Ozs.	Filling Point fr. Base	Height in Inches	Diameter in Inches	Dozens Per Carton	Lbs. Per Carton
E-276	7½	8½	5 <sup>23</sup> / <sub>32</sub>	6 <sup>25</sup> / <sub>32</sub>	2 <sup>17</sup> / <sub>64</sub>	2	16
E-310	8¼	8½	5 <sup>41</sup> / <sub>64</sub>	6 <sup>57</sup> / <sub>64</sub>	2 <sup>3</sup> / <sub>8</sub>	2	16
E-217	10¾	11¼	6 <sup>7</sup> / <sub>32</sub>	7¼	2 <sup>13</sup> / <sub>16</sub>	2	20
E-318	11	11½	5¾	7 <sup>5</sup> / <sub>16</sub>	2 <sup>9</sup> / <sub>16</sub>	2	21
E-277	12	11½	6 <sup>27</sup> / <sub>32</sub>	7 <sup>29</sup> / <sub>32</sub>	2 <sup>5</sup> / <sub>8</sub>	2	21
E-211	12¼	12¼	Overflow	8	2 <sup>5</sup> / <sub>8</sub>	1	136

Note: These Bottles can be supplied in Combination Goldy or Crown Finish, with Slip Over or Screw Cap. See "S" Section, devoted to GCA Standards.





E-461  
E-492




E-29



E-376




E-459




E-31

Mold No.	Fluid Ounce Cap.	Weight in Ozs.	Filling Point fr. Base	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
E-29	2½	4	Base of neck	5 <sup>25</sup> / <sub>32</sub>	1 <sup>35</sup> / <sub>64</sub>	# 5 Cork	3	11
E-376	5	7¾	"	7 <sup>3</sup> / <sub>8</sub>	1 <sup>31</sup> / <sub>32</sub>	# 6 Shell Cork Glass Stopper	3	16
E-459	5¾	7	"	7	1 <sup>31</sup> / <sub>32</sub>	# 6 Shell Cork Glass Stopper	3	18
E-31	8	9	"	8 <sup>43</sup> / <sub>64</sub>	2 <sup>5</sup> / <sub>32</sub>	# 6 Cork 24-400	2	19
E-461	10	12	5 <sup>3</sup> / <sub>8</sub>	8 <sup>7</sup> / <sub>16</sub>	2 <sup>33</sup> / <sub>64</sub>	# 6 Shell Cork Glass Stopper	2	21
E-492	11	12	Base of neck	8 <sup>7</sup> / <sub>16</sub>	2½	# 6 Shell Cork Glass Stopper	2	22

## CLUB SAUCE OLIVE OILS





E-35 E-121



## VINEGARS

Mold No.	Fluid Ounce Cap.	Weight in Ozs.	Filling Point fr. Base	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
E-35	10½	12	6⅞	9⅛	2⅓ <sup>1</sup> / <sub>64</sub>	28-1600	2	18
E-352	12	11½	6¾	8⅓ <sup>3</sup> / <sub>16</sub>	2⅝	# 1-600 28-400	2	20
E-598	12	10¾	6½	8⅝	2⅑ <sup>9</sup> / <sub>32</sub>	28-400	1	11
E-463	20	18⅛	8⅜	10⅜	3⅜ <sup>6</sup> / <sub>64</sub>	# 1-600	1	15
E-353	22	18	8⅝ <sup>5</sup> / <sub>64</sub>	11⅑ <sup>5</sup> / <sub>64</sub>	3⅑ <sup>3</sup> / <sub>32</sub>	# 1-600	1	17
E-173	22	18¼	10¾	11⅑ <sup>7</sup> / <sub>64</sub>	3⅑ <sup>1</sup> / <sub>16</sub>	28-400 # 1-600	1	17
E-648	24	18¾	8⅝ <sup>1</sup> / <sub>16</sub>	10 <sup>21</sup> / <sub>32</sub>	3 <sup>7</sup> / <sub>32</sub>	26-1050	1	18
E-600	24	20	8⅝ <sup>9</sup> / <sub>64</sub>	10 <sup>9</sup> / <sub>64</sub>	3⅑ <sup>3</sup> / <sub>64</sub>	28-1600	1	18
E-359	25⅜	22	9⅑ <sup>5</sup> / <sub>32</sub>	11⅑ <sup>3</sup> / <sub>16</sub>	3 <sup>7</sup> / <sub>32</sub>	# 1-600 30-400	1	18
E-121	25⅜	22	8½	11 <sup>7</sup> / <sub>16</sub>	3⅝ <sup>6</sup> / <sub>64</sub>	# 1-600	1	18



E-467

## VINEGARS

Mold No.	Fluid Ounce Cap.	Weight in Ozs.	Filling Point fr. Base	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
E-280	12	11½	6 <sup>11</sup> / <sub>16</sub>	8 <sup>7</sup> / <sub>16</sub>	1 <sup>5</sup> / <sub>8</sub>	*1-600 T-1300	2	20
E-240	16	14¼	7 <sup>1</sup> / <sub>16</sub>	9 <sup>1</sup> / <sub>16</sub>	2 <sup>15</sup> / <sub>16</sub>	*1-600 28-400	2	26
E-462	16	14 <sup>3</sup> / <sub>8</sub>	7 <sup>23</sup> / <sub>32</sub>	9 <sup>23</sup> / <sub>32</sub>	2 <sup>7</sup> / <sub>8</sub>	*1-600	2	26
E-467	16	14 <sup>3</sup> / <sub>4</sub>	7 <sup>3</sup> / <sub>16</sub>	9 <sup>11</sup> / <sub>16</sub>	2 <sup>17</sup> / <sub>32</sub>	*1-600	2	26
E-220	16¼	14	7½	9½	2 <sup>27</sup> / <sub>32</sub>	*1-600	2	26
E-615	16 <sup>9</sup> / <sub>16</sub>	14¼	6 <sup>21</sup> / <sub>32</sub>	8 <sup>23</sup> / <sub>32</sub>	2 <sup>15</sup> / <sub>16</sub>	*1-600	2	25
E-460	20	16	7½	9¾	2¾	*1-600	1	16
E-300	25 <sup>3</sup> / <sub>5</sub>	19	7 <sup>19</sup> / <sub>32</sub>	9 <sup>19</sup> / <sub>32</sub>	3 <sup>13</sup> / <sub>32</sub>	28-400 *1-600	1	19
E-236	32	23	7½	9 <sup>9</sup> / <sub>16</sub>	3 <sup>47</sup> / <sub>64</sub>	28-400 *1-600	1	21
E-616	32	23	7½	9 <sup>19</sup> / <sub>32</sub>	3 <sup>49</sup> / <sub>64</sub>	28-1600	1	20




H-47  
H-48



## GRAPE JUICE

Mold No.	Fluid Ounce Cap.	Weight in Ozs.	Filling Point fr. Top	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
H-74	4	5 $\frac{1}{4}$	1 $\frac{3}{8}$	5 $\frac{13}{16}$	1 $\frac{15}{16}$	26-2400	3	15
H-3	4 $\frac{5}{8}$	5 $\frac{1}{2}$	Overflow	5 $\frac{25}{32}$	2	#1-600	3 6	15 30
H-12 (Stock)	6	6 $\frac{1}{2}$	$\frac{3}{4}$	7 $\frac{7}{32}$	2	#1-600	2 3	12 17
H-2	8	7 $\frac{1}{2}$	2 $\frac{1}{4}$	7 $\frac{7}{32}$	2 $\frac{19}{64}$	#1-600	2 3	15 22
H-21	8	8 $\frac{1}{4}$	2 $\frac{1}{4}$	8	2 $\frac{7}{32}$	#1-600	2 3	15 22
H-22	10	9 $\frac{1}{2}$	2 $\frac{3}{8}$	8 $\frac{3}{16}$	2 $\frac{25}{64}$	#1-600	2	17
H-16	12	11 $\frac{1}{4}$	2 $\frac{1}{4}$	8 $\frac{31}{32}$	2 $\frac{1}{2}$	#1-600	2	20
H-47	12 $\frac{1}{2}$	11 $\frac{1}{2}$	2 $\frac{1}{8}$	8 $\frac{21}{32}$	2 $\frac{19}{32}$	#1-600	2	21


(Continued on following page)



H-10


## GRAPE JUICE

Mold No.	Fluid Ounce Cap.	Weight in Ozs.	Filling Point fr. Top	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
H-10	16	14	Overflow	9 <sup>3</sup> / <sub>4</sub>	2 <sup>23</sup> / <sub>32</sub>	# 1-600	1 2	13 25
<i>Mold</i> H-4	16	14	2 <sup>1</sup> / <sub>2</sub>	9 <sup>25</sup> / <sub>64</sub>	2 <sup>7</sup> / <sub>8</sub>	# 1-600	1 2	13 25
H-15	20	19	2 <sup>1</sup> / <sub>2</sub>	11 <sup>9</sup> / <sub>32</sub>	2 <sup>27</sup> / <sub>32</sub>	# 1-600	1	16
H-17	24	21	3 <sup>1</sup> / <sub>2</sub>	11 <sup>9</sup> / <sub>16</sub>	3 <sup>7</sup> / <sub>64</sub>	# 1-600	1	19
H-48	25 <sup>3</sup> / <sub>5</sub>	22	3	11 <sup>29</sup> / <sub>32</sub>	3 <sup>3</sup> / <sub>32</sub>	# 1-600	1	20
H-27	32	22 <sup>3</sup> / <sub>4</sub>	3 <sup>5</sup> / <sub>8</sub>	12 <sup>19</sup> / <sub>64</sub>	3 <sup>7</sup> / <sub>16</sub>	# 1-600	1	21
H-5	32	23 <sup>1</sup> / <sub>2</sub>	3 <sup>1</sup> / <sub>2</sub>	11 <sup>13</sup> / <sub>16</sub>	3 <sup>9</sup> / <sub>16</sub>	# 1-600	1	21
H-19	64	35	4	13 <sup>3</sup> / <sub>4</sub>	4 <sup>1</sup> / <sub>2</sub>	# 1-600	1/2	20



## SYRUPS

Mold No.	Fluid Ounce Cap.	Weight in Ozs.	Filling Point fr. Base	Height in Inches	Diameter in Inches	Finish	Gross Per Crate	Lbs. Per Crate
E-294	4	5½	3⅞	5½	1 <sup>61</sup> / <sub>64</sub>	1-600	2	132
E-134	8	7½	5 <sup>31</sup> / <sub>32</sub>	7 <sup>25</sup> / <sub>32</sub>	2 <sup>9</sup> / <sub>64</sub>	1-600	1½	88
E-135	12	11	6¼	8 <sup>7</sup> / <sub>16</sub>	2 <sup>17</sup> / <sub>32</sub>	1-600	1	131
E-117	16	13½	6⅞	8 <sup>11</sup> / <sub>16</sub>	2 <sup>31</sup> / <sub>32</sub>	A-1300 1-600	1	145
E-136	16	14	6 <sup>13</sup> / <sub>16</sub>	9 <sup>5</sup> / <sub>32</sub>	2 <sup>53</sup> / <sub>64</sub>	1-600	1	147
E-118	32	23	7½	10 <sup>5</sup> / <sub>16</sub>	3 <sup>53</sup> / <sub>64</sub>	A-1300 1-600	½	114



E-664

## SYRUPS

Mold No.	Fluid Ounce Cap.	Weight in Ozs.	Filling Point fr. Base	Height in Inches	Width in Inches	Thick. in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
E-225 (Square)	22	18½	8 <sup>61</sup> / <sub>64</sub>	9 <sup>61</sup> / <sub>64</sub>	2 <sup>29</sup> / <sub>32</sub>	2 <sup>7</sup> / <sub>8</sub>	1-600	1	18
E-664	6	7¼	5 <sup>11</sup> / <sub>32</sub>	7 <sup>7</sup> / <sub>32</sub>		2 <sup>1</sup> / <sub>8</sub> Diam.	28-400	3	17
E-312 (Round)	32	24	8 <sup>1</sup> / <sub>8</sub>	11		3 <sup>35</sup> / <sub>64</sub> Diam.	1-600	1	22
E-493 (Fluted)	8	8	4 <sup>21</sup> / <sub>32</sub>	6 <sup>1</sup> / <sub>8</sub>		2 <sup>29</sup> / <sub>32</sub> Diam.	28-400	2	15
E-297 (Fluted)	16	14	Overflow	8 <sup>17</sup> / <sub>64</sub>		3 <sup>3</sup> / <sub>8</sub> Diam.	28-400	2	26
E-298 (Fluted)	32	24	Overflow	10		4 <sup>11</sup> / <sub>32</sub> Diam.	28-400	1	22



E-326  
E-321



E-554  
E-553



H-64  
H-63



H-79  
H-83  
H-78

**FRENCH  
DRESSING  
TOMATO JUICE  
CLAM JUICE**

Mold No.	Fluid Ounce Cap.	Weight in Ozs.	Filling Point fr. Base	Height in Inches	Diameter in Inches	Finish	Dozens Per Carton	Lbs. Per Carton
E-326	3 <sup>5</sup> / <sub>16</sub>	4 <sup>1</sup> / <sub>2</sub>	3 <sup>3</sup> / <sub>8</sub>	4 <sup>15</sup> / <sub>16</sub>	2 <sup>1</sup> / <sub>16</sub>	28-400	3	12
H-63	4	6 <sup>1</sup> / <sub>4</sub>	3 <sup>1</sup> / <sub>2</sub>	5 <sup>7</sup> / <sub>8</sub>	2 <sup>5</sup> / <sub>64</sub>	26 <sup>1</sup> / <sub>2</sub> -1800	3	15
H-83	4	5 <sup>1</sup> / <sub>2</sub>	3 <sup>1</sup> / <sub>2</sub>	5 <sup>23</sup> / <sub>32</sub>	2	26-600	4	20
E-553	6 <sup>1</sup> / <sub>2</sub>	6 <sup>1</sup> / <sub>2</sub>	6 <sup>15</sup> / <sub>32</sub>	7 <sup>13</sup> / <sub>64</sub>	2 <sup>1</sup> / <sub>32</sub>	26-600	2	12
E-554	8	8 <sup>3</sup> / <sub>4</sub>	6	7 <sup>13</sup> / <sub>64</sub>	2 <sup>17</sup> / <sub>64</sub>	26-600	2	17 <sup>1</sup> / <sub>2</sub>
H-79	8	7 <sup>1</sup> / <sub>2</sub>	5	7 <sup>1</sup> / <sub>4</sub>	2 <sup>19</sup> / <sub>64</sub>	26-600	1	7
E-321	8	7 <sup>1</sup> / <sub>2</sub>	4 <sup>3</sup> / <sub>4</sub>	6 <sup>1</sup> / <sub>8</sub>	2 <sup>13</sup> / <sub>16</sub>	28-400	2	15
H-64	12	11 <sup>3</sup> / <sub>4</sub>	6 <sup>7</sup> / <sub>16</sub>	9 <sup>1</sup> / <sub>16</sub>	2 <sup>1</sup> / <sub>2</sub>	26 <sup>1</sup> / <sub>2</sub> -1800	1	12
H-78	17	14 <sup>1</sup> / <sub>2</sub>	overflow	9 <sup>13</sup> / <sub>32</sub>	2 <sup>59</sup> / <sub>64</sub>	26-600	1	13 <sup>1</sup> / <sub>2</sub>